

OPHTHALMIC KNIVES SINGLE USE





OVATION INTERNATIONAL

OVATION is a leading company engaged in Manufacturing, Export & Imports of Ophthalmic Surgical Products. Ovation started his business in Year 1996 With A Vision to produce Internationally accepted Quality Ophthalmic Surgical Products with ability to meet ever changing demands of Ophthalmologists due to advancement in Surgical Techniques.

Ovation International is ISO :13485 Certified Company. Working according to European Medical Device Standards 93/42/EEC, Our Product Range of Disposable Ophthalmic Cannula's, Knives, Vitreoretinal , Cataract , Corneal & other Instruments are CE Certified from last 10 years.

Conscious efforts are constantly made at Ovation to develop a long-term relationship with our costumers by providing quality products at relatively competitive prices in a framed time limit

Ovation is professionally managed company large enough to meet small and large requirements. In fact, the customized, individual and varied requirements are a source of pleasure for our dedicated workers.

due to continuous development and improvment the given specifications the product design and construction are subject to change without any notice.

All photographs, illustrations and texts of this catalogue should not be reproduced in any form or by any electronic or mechnical means, all are protected by copyright. reproduction in any form is prohibited.

2460

| EC CERTI Full Qualit | FICATE y Assuranc | e System |
|---|---|---|
| Certificate no.: 216807-2017-CE-IND-NA-PS | Initial certification date: 13 February 2018 | Valid Unit: 13 February 2023 |
| This is to certify that the ma Ovation Internationa B-24, (B-1), Prabhu Marg, | | r,Rajasthan,India |
| For design, production and Ophthalmic Knives, Cann | final product inspection/test ulas and Instruments | ing of: |
| | ssment procedure d | escribed in Annex II excluding on Medical Devices, as |
| | | |
| | | |
| | | |
| aca and data: wik, 23 May 2021 | | For the Issuinc office: DNV Product Assurance AS - Notified Body 2400 Veritaxvelen 3, 1263 Havik, Norway |
| 000000 | | |





OPHTHALMIC KNIVES

Ovation Knives Have Precised Dimensions Designed to Minimize Astigmatism & Post Operative Healing Time.

| FOR FIRST SCLERAL INCISION/SIDE | | |
|---------------------------------|-----------|--|
| PRODUCT NAME | MODEL NO. | |
| LANCE TIP 15° | OVR6115 | |
| LANCE TIP 30° | OVR6130 | |
| LANCE TIP 45° | OVR6145 | |
| LANCE TIP 22.5° | OVR61225 | |
| \backslash | | |

(OVR61XXX / OVF61XXX (XXX Denote Degree of Bevel angle)



| FOR ENTRY INTO ANTERIOR CHAMBER /PHACO STAB INCISION | | |
|---|-----------|--|
| PRODUCT NAME | MODEL NO. | |
| SLIT - 1.2mm ANGLED - 45° | OVR6212 | |
| SLIT - 1.4mm ANGLED - 45° | OVR6214 | |
| SLIT - 1.2 to 1.4mm ANGLED - 45° | OVR62124 | |
| SLIT - 1.8 to 2.0mm ANGLED - 45° | OVR621820 | |
| SLIT - 2.2mm ANGLED - 45° | OVR6222 | |
| SLIT - 2.4mm ANGLED - 45° | OVR6224 | |
| SLIT - 2.5mm ANGLED - 45° | OVR6225 | |
| SLIT - 2.65mm ANGLED - 45° | OVR62265 | |
| SLIT - 2.7mm ANGLED - 45° | OVR6227 | |
| SLIT - 2.75mm ANGLED - 45° | OVR62275 | |
| SLIT - 2.8mm ANGLED - 45° | OVR6228 | |
| SLIT - 3.0mm ANGLED - 45° | OVR6230 | |
| SLIT - 3.2mm ANGLED - 45° | OVR6232 | |
| SLIT - 3.5mm ANGLED - 45° | OVR6235 | |
| SLIT - 4.0mm ANGLED - 45° | OVR6240 | |
| SLIT - 4.1mm ANGLED - 45° | OVR6241 | |
| SLIT - 4.5mm ANGLED - 45° | OVR6245 | |

OVR62XXX CC/DB (XXX Denote Size : 0.9mm to 5.0mm, DB Denote Double Bevel, CC Denote Clear Cornea)



WITH POLYCARBONATE HANDLE


MVR KNIVES For water tight self sealing incision

| PRODUCT NAME | E MODEL NO. |
|----------------|---------------|
| MVR 20G | OVR6560 |
| MVR 19G | OVR6561 |
| MVR 20G ANGLED | OVR6562 * |
| MVR 19G ANGLED | OVR6563 * |
| MVR 23G | OVR6564 |
| MVR 23G PORT | OVR6564P |
| MVR 23G ANGLED | OVR6565 \star |
| MVR 25G | OVR6566 |
| MVR 25G PORT | OVR6566P |
| MVR 25G ANGLED | OVR6567 * |
| \backslash | |
| \mathbf{i} | |

CRESCENT KNIVES FOR MAKING GROOVE OR TUNNEL

| PRODUCT NAME | MODEL NO. |
|----------------------------|-------------|
| CRE. STRAIGHT BEVEL-UP | OVR6401 |
| CRE. ANGLED BEVEL-UP 45° | OVR6402 |
| CRE. ANGLED BEVEL-UP 55° | OVR6402-55° |
| CRE. ANGLED BEVEL-UP 60° | OVR6402-60° |
| CRE. ANGLED BEVEL-DOWN | OVR6403 |
| CRE. ANGLED DOUBLE BEVEL | OVR6404 |
| CRE. STRAIGHT DOUBLE BEVEL | OVR6405 |
| | |









IMPLANT KNIVES FOR EXTENSION OF SLIT

| PRODUCT NAME | MODEL NO. |
|------------------------------|-----------|
| IMPLANT - 4.1mm ANGLED - 45° | OVR6341 |
| IMPLANT - 5.1mm ANGLED - 45° | OVR6351 |
| IMPLANT - 5.2mm ANGLED - 45° | OVR6352 |
| IMPLANT - 5.5mm ANGLED - 45° | OVR6355 |
| IMPLANT - 6.0mm ANGLED - 45° | OVR6360 |
| IMPLANT - 6.2mm ANGLED - 45° | OVR6362 / |
| | |





WITH POLYCARBONATE HANDLE

LAMELLAR KNIVES

FOR SCLERAL POCKET INCISION & UNDERSTANDING

| PRODUCT NAME | MODEL NO. |
|-----------------------------|-----------|
| LAMELLAR BLADE - STRAIGHT | OVF6801 |
| LAMELLAR BLADE - ANGLED 60° | OVF6802 |



TROCAR KNIVES FOR MICRO INCISION VITREORETINAL SURGERY

| PRODUCT NAME | MODEL NO. |
|---------------|-----------|
| TROCAR - 23 G | OVR8001 |
| TROCAR - 25 G | OVR8008 |

MICRON KNIVES


| PRODUCT NAME | MODEL NO. |
|--------------|------------|
| 300 MICRON | OVR69300 |
| 350 MICRON | OVR69350 |
| 500 MICRON | OVR69500 |
| 550 MICRON | OVR69550 |
| 600 MICRON | OVR69600 / |
| | |


HOCKEY KNIVES FOR GLAUCOMA & RETINAL

OVATION INTERNATIONAL

PROCEDURES The sclerotome knife has a smaller cutting edge and improved sharpness for precise, controlled dissection


| PRODUCT NAME | MODEL NO. |
|---------------------|-----------|
| HOCKEY - WIDE TIP | OVF6701 |
| HOCKEY - NARROW TIP | OVF6702 |












www.ovationint.com



LANCE TIP KNIVES FOR FIRST SCLERAL INCISION/SIDE PORT

| PRODUCT NAME | MODEL NO. |
|---------------|-----------|
| LANCE TIP 15° | OVS6115 |
| LANCE TIP 30° | OVS6130 |
| LANCE TIP 45° | OVS6145 |
| LANCE TIP 22° | OVS6122 |
| LANCE TIP 22° | OVS6122 |




(OVR61XXX / OVF61XXX (XXX Denote Degree of Bevel angle)



| (Δ) | |
|---------------|--|
| Z | |
| $\overline{}$ | |
| \leq | |
| | |
| (\land) | |

SLIT KNIVES For entry into anterior chamber /phaco stab incision

| PRODUCT NAME | MODEL NO. |
|----------------------------------|-----------|
| SLIT - 1.2mm ANGLED - 45° | OVS6212 |
| SLIT - 1.4mm ANGLED - 45° | OVS6214 |
| SLIT - 1.2 to 1.4mm ANGLED - 45° | OVS62124 |
| SLIT - 1.8 to 2.0mm ANGLED - 45° | OVS621820 |
| SLIT - 2.2mm ANGLED - 45° | OVS6222 |
| SLIT - 2.4mm ANGLED - 45° | OVS6224 |
| SLIT - 2.5mm ANGLED - 45° | OVS6225 |
| SLIT - 2.65mm ANGLED - 45° | OVS62265 |
| SLIT - 2.7mm ANGLED - 45° | OVS6227 |
| SLIT - 2.75mm ANGLED - 45° | OVS62275 |
| SLIT - 2.8mm ANGLED - 45° | OVS6228 |
| SLIT - 3.0mm ANGLED - 45° | OVS6230 |
| SLIT - 3.2mm ANGLED - 45° | OVS6232 |
| SLIT - 3.5mm ANGLED - 45° | OVS6235 |
| SLIT - 4.0mm ANGLED - 45° | OVS6240 |
| SLIT - 4.1mm ANGLED - 45° | OVS6241 |
| SLIT - 4.5mm ANGLED - 45° | OVS6245 |
| | |




OVR62XXX CC/DB (XXX Denote Size : 0.9mm to 5.0mm, DB Denote Double Bevel, CC Denote Clear Cornea)



IMPLANT KNIVES FOR EXTENSION OF SLIT

| PRODUCT NAME | MODEL NO. |
|------------------------------|-----------|
| IMPLANT - 4.1mm ANGLED - 45° | OVS6341 |
| IMPLANT - 5.1mm ANGLED - 45° | OVS6351 |
| IMPLANT - 5.2mm ANGLED - 45° | OVS6352 |
| IMPLANT - 5.5mm ANGLED - 45° | OVS6355 |
| IMPLANT - 6.0mm ANGLED - 45° | OVS6360 |
| IMPLANT - 6.2mm ANGLED - 45° | OVS6362 |
| \searrow | |



CRESCENT KNIVES FOR MAKING GROOVE OR TUNNEL

| PRODUCT NAME | MODEL NO. |
|----------------------------|-----------|
| CRE. STRAIGHT BEVEL-UP | OVS6401 |
| CRE. ANGLED BEVEL-UP | OVS6402 |
| CRE. ANGLED BEVEL-DOWN | OVS6403 |
| CRE. ANGLED DOUBLE BEVEL | OVS6404 |
| CRE. STRAIGHT DOUBLE BEVEL | OVS6405 |
| | |

MVR KNIVES FOR WATER TIGHT SELF SEALING INCISION

| PRODUCT NAME | MODEL NO. |
|----------------|-----------|
| MVR 20G | OVS6560 |
| MVR 19G | OVS6561 |
| MVR 20G ANGLED | OVS6562 |
| MVR 19G ANGLED | OVS6563 |
| MVR 23G | OVS6564 |
| MVR 23G PORT | OVS6564P |
| MVR 23G ANGLED | OVS6565 |
| MVR 25G | OVS6566 |
| MVR 25G PORT | OVS6566P |
| MVR 25G ANGLED | OVS6567 |
| | |









WITH & WITHOUT POLYCARBONATE HANDLE

ROUND KNIVES FOR TRABECULOTOMY, & DCR PROCEDURES

| PRODUCT NAME | MODEL NO. |
|-----------------------------|-----------|
| ROUND - 2.25mm ANGLED - 45° | OVF6600 |
| ROUND - 1.50mm ANGLED - 45° | OVF6615 |
| ROUND - 3.00mm ANGLED - 45° | OVF6630 |

| PRODUCT NAME | MODEL NO. |
|---|-----------|
| ROUND TIP STRAIGHT SHARP ON ONE SIDE | OVF6601 |

| PRODUCT NAME | MODEL NO. |
|---|-----------|
| ROUND TIP (NARROW) straight, rounded Tip , Sharp On One Side. Narrower Version For Minimally Invasive Surgery. | OVF6602 |

| | |) |
|---|--|--|
| PRODUCT NAME | MODEL NO. | |
| Sharp All Round Straight Sharp all round , 180 degree cutting surface, double bevel blades. | OVF6603 | |
| | Sharp All Round Straight Sharp all round , 180 degree | Sharp All Round Straight Sharp all round , 180 degree OVF6603 |

| (| |
|---|-----------|
| PRODUCT NAME | MODEL NO. |
| Curved Tip Smaller alternative to #15 general blade. | OVF6604 |

| PRODUCT NAME | MODEL NO. |
|---|-----------|
| Lamellar Blade Straight Straight, smooth undersurface, sharp all around | OVF6801 |

| PRODUCT NAME | MODEL NO. |
|---|-----------|
| Lamellar Blade – Angled Straight, smooth undersurface, sharp all around | OVF6802 |

Above blades are available with handle also ("H" against Catalog no. Denotes with handle)
























Product image, including color, may slightly differ from actual product appearance.

OVATION INTERNATIONAL



Label Information

Labels feature internationally recognized symbols to communicate product information the key shown here lists many of the symbols used worldwide.



Total Quality Assurance System

You can be confident that any product bearing the ovation international name measure up to the highest standards if quality. The facilities are registered to ISO 9001 and ISO 13485.

CONTACT INFORMATION

B-24, (B-1) PRABHU MARG, TILAK NAGAR, JAIPUR- 302004 (INDIA)

() Tel. : +91 141 2620070, 4020600

E-mail : info@ovationint.com

web: www.ovationint.com

(↓ +91-8949765166





For more information, please contact your local Distributor:

